




SHIV SHAKTI


















The RIZZ Collection isn't just about laminates; it's about transforming experiences. We believe texture has the power to transform a simple surface into a captivating statement piece. Inspired by the natural world, our RIZZ Collection features laminates with unique textures like solid and wood grain. Forget the standard flat monotony. We offer a curated selection of laminates boasting unique textures inspired by the natural world. Think subtle, these subtle yet sophisticated textures add depth and dimension to your designs, creating a truly immersive experience.







Discover the RIZZ Laminates Collection and experience the power of subtle transform surfaces into sensory delights, adding a touch of sophistication and warmth to any room. Available in an array of colors and patterns, these sheets offer versatility, enabling you to unleash your creativity and craft a space that reflects your unique style. These sheets can effortlessly complement diverse design schemes, enhancing the aesthetic appeal of any environment. This isn't just about aesthetics; it's about a whole new design experience. We pride ourselves on offering premium quality of solid and wood finish laminate sheets that redefine luxury and functionality. Our commitment to excellence ensures that every product meets precise quality standards, providing you with the assurance of top-notch materials for your interior design projects.

R177 SEAMLESS EDGE

Rizz collection provides a highly versatile selection of edge banding that is used to create durable trim edges for many different applications, Forget the limitations of traditional edging materials. Our laminates offer the stunning textures found in our core RIZZ Collection, allowing you to create a seamless and cohesive look for your project, right down to the edges. And also here to revolutionize the industry with our game-changing edge band laminates.

TECHNICAL PARAMETERS OF THE PRODUCT

- » PVC sealing edge strip has better resistance to heat, chemicals and abrasion. It also comes in Woods and Solids Series of realism in two dimensional sense.
- » Trim edges without whitening, and it is easy to paste.
- » Environment friendly and safe materials are used. It has UV protected adhesion, good scratch resistance, good elasticity, is difficult to deform. It also has strong UV protection and anti-yellowing properties.
- » The high PVC content of RIZZ SEAMLESS EDGE ensures the best quality of the base material.

SPECIFICATIONS

Thickness : 0.80 mm

PVC Content : 90%

Roll Size : 25 & 50 Mtr. Available Width : 22 mm

FEATURES









Io Heavy Lead Free Metal

Abrasion Resistance

Colour Stability





A Statement in Bold Design: Unleash your creativity with RIZZ Solids laminates. Our curated collection of bold and beautiful colors empowers you to make a statement. From the drama of deep onyx to the vibrancy of fiery reds, RIZZ Solids offers endless possibilities to create a space that reflects your unique personality.




Embrace the Timeless Elegance of Nature: Immerse yourself in the rich textures and captivating grains of RIZZ Woods laminates. Our collection offers a breathtaking array of woodgrains, from the warmth of rustic oaks to the sleek sophistication of deep walnut tones. Transform your space into a sanctuary of natural beauty.











SOLIDS

GREYS & SHADES | WHITES & CREAMS | BLACKS & TINTS

SOPHISTICATED | NEUTRAL | CONTEMPORARY

SPECIFICATIONS

Thickness: 0.80 mm

Size : 2440 mm x 1220 mm (8'x4')

Finish : RIZZ SUEDE (RS)

FEATURES







Moisture Resistant

High Abrasion

Easy to Clean








Stain Resistant


Heat Resistant

Matching Edge Band



LAMINATE LUXURY


REDEFINING MODERN LIVING



75 x 125 mm

RZ 5122 RS







DESIGN FREEDOM,

ENGINEERED WITH PRECISION

75 x 125 mm

RZ 5126 RS





75 x 125 mm

RZ 5127 RS






RZ 5125 RS



75 x 125 mm





RZ 5129 RS

75 x 125 mm



RZ 5130 RS



75 x 125 mm





WOODS

WARM & CLASSY | FUZZY & PREMIUM | LIGHTS, MEDIUMS & DARKS

CLASSY | TIMELESS | SIMPLE

SPECIFICATIONS

Thickness: 0.80 mm

Size : 2440 mm x 1220 mm (8'x4')

Finish : RIZZ SUEDE (RS)

FEATURES



Moisture

Resistant





Easy to

Clean

High Abrasion










Stain Resistant

Heat Resistant

Matching **Edge Band**



Choose laminate for a modern touch that innovates your living spaces








RZ 5104 RS





Crafted for comfort

Redefine your interior with our Laminate Collection










RZ 5109 RS








RZ 5108 RS



RZ 5111 RS



RZ 5105 RS



A Journey Through Craffsmanship

Every piece tells a story - let our wood decor be the captivating chapters of your space.

Nature's fingerprint

Each piece of wood carries a unique pattern, like a fingerprint, making every item one-of-a-kind





RZ 5103 RS





RZ 5102 RS






RZ 5110 RS













RZ 5113 RS

Journeys in Lesthetic Living

Embark on odysseys of Aesthetic living through Laminate Wood



Rooted in Simplicity

Transform your home into a comfort and style.













RZ 5116 RS



RZ 5117 RS




RZ 5115 RS



Elevate Your space


Each piece is lovingly handcrafted, making your interiors as unique as your style.








RZ 5131 HC





RZ 5134 HC



RZ 5132 HC





TECHNICAL SPECIFICATIONS

SR. NO.	PROPERTY AS PER IS : 2046 - 1995	PROPERTY ATTRIBUTES	UNIT MIN / MAX	REQUIREMENTS	CONFIRMS
01	Thickness	mm	-	0.80mm ± 10%	✓
02	Resistance to Surface Wear (Cycles)	Wear Resistance	Revolution (Min)	350	√
03	Resistance to Immersion in Boiling Water (%)	Mass Increase Thickness Increase	% Max % Max	10 12	√
04	Resistance to Dry Heat at 180° C	Appearance	-	Should Pass Test	√
05	Dimension Stability at Elevated Temperature	Dimensional Change	% Max Longitudinal % Max (Transverse)	0.6 1.0	√
06	Resistance to Standing	-		Should Pass Test	√
07	Resistance to Cigarette Burns	Appearance	-	Should Pass Test	√
08	Resistance to Steam	Appearance	-	Should Pass Test	√
09	Resistance to Cracking	Appearance	-	Should Pass Test	√
10	Resistance to Scratching	Load	N (Min.)	2N (Min.)	√
11	Resistance to Impact by small diameter ball	Spring Force	N (Min.)	20 N (Min.)	√
12	Resistance to colour change in Xeonarc Light	Wool Standard	-	Should Pass Test	√
13	Specify Gravity	gm/cm3		1.4	√

LIMITED LIABILITY WARRANTY: Guaranteed thickness with high quality back sanding. Rizz warrants that all its products are free from manufacturing defects and perfectly it for use under normal conditions. In case of any claims, the liability of the Company is however limited to the cost of the products only.

MAINTENANCE: Clean with mild soap solution with soft cloth. Abrasive cleaners should not be used. Excessive direct sunlight, heat & moisture should be avoided. Products can be use for both vertical & horizontal surfaces.

RESISTANCE: Resistance to surface water, boiling water, cigarette burns, staining and mild scratches.

NOTE: For actual colour, Textures & Finish refer to real samples, as there might be a slight variation in appearance due to printing limitations.



Do not use chemicals for cleaning.



Avoid Direct sunlight from the Sheet These may cause to colour fading due to UV Rays.



Cracking at corners & around cuts may be caused by improper conditioning, Improper bonding, poor planning. Avoid all these to prevent cracking at corners.

INDEX

DESIGN NO.	FINISH	PAGE NO	EDGEBEND CODE
RZ 5101	RS	19	EB 5101
RZ 5102	RS	25	EB 5102
RZ 5103	RS	25	EB 5103
RZ 5104	RS	19	EB 5104
RZ 5105	RS	23	EB 5105
RZ 5106	RS	21	EB 5106
RZ 5107	RS	22	EB 5107
RZ 5108	RS	22	EB 5108
RZ 5109	RS	21	EB 5109
RZ 5110	RS	25	EB 5110
RZ 5111	RS	23	EB 5111
RZ 5112	RS	27	EB 5112
RZ 5113	RS	27	EB 5113
RZ 5114	RS	28	EB 5114
RZ 5115	RS	29	EB 5115
RZ 5116	RS	28	EB 5116
RZ 5117	RS	29	EB 5117
RZ 5118	RS	12	EB 5118
RZ 5119	RS	11	EB 5119
RZ 5120	RS	13	EB 5120
RZ 5121	RS	12	EB 5121
RZ 5122	RS	11	EB 5122
RZ 5123	RS	10	EB 5123
RZ 5124	RS	10	EB 5124
RZ 5125	RS	14	EB 5125
RZ 5126	RS	14	EB 5126
RZ 5127	RS	14	EB 5127
RZ 5128	RS	13	EB 5128
RZ 5129	RS	15	EB 5129
RZ 5130	RS	15	EB 5130
RZ 5131	НС	31	EB 5131
RZ 5132	НС	31	EB 5132
RZ 5133	НС	31	EB 5133
RZ 5134	НС	31	EB 5134